ELSEVIER

Journal of Magnetism and Magnetic Materials 217 (2000) 237–239

journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Author index to volume 217

Ahn, S.J., C.K. Kim, S.J. Kim, D.K. Choi and R.C. O'Handley, The magnetic properties of a magnetic detector using oxidized amorphous $Co_{95-x}Fe_5(BSi)_x$ alloys 159
Al-Omari, I.A., Y. Yeshurun, S.S. Jaswal, J. Zhou and D.J. Sellmyer, Magnetic and structural properties of $Nd_2Fe_{17-x}M_x$ (M = Cu, Cr, V, Nb, and Zr) compounds 83
Auric, P., J.S. Micha, O. Proux, L. Giacomoni and J.R. Regnard, Structural and magnetic properties of Fe/ZrO_2 continuous and discontinuous multilayers 175

Baszyński, J., see Kowalczyk, A. 44
Binek, Ch., see Kagerer, B. 139
Brabers, V., see Kub, J. 19
Buschow, K.H.J., see Wilkinson, C. 55

Choi, D.K., see Ahn, S.J. 159
Chui, S.T., Towards a more analytic understanding of the pinning of domain walls in high-temperature permanent magnets 120

Dai, Z.R., see Taketomi, S. 5
Ding, J., see Kong, H.Z. 65
Djendli, S., H. Sahsah, D. Jamon, F. Donatini and J. Monin, Adjusted quarter wave plate using γ-Fe_2O_3 ferrofluid 170
Donatini, F., see Djendli, S. 170

Eckert, D., see Kubis, M. 14
Edwards, D.M., see Mathon, J. 188
Eick, T., see Müller, R. 155
El-Shaarawy, M.G., Magnetic and dielectric properties of $(CHAn)_2MCl_4$ and $(An)_2MCl_4$, where M = Cu or Mn, CHAn = 4-cyclohexyl analinium and An = analinium 93

Fotiadis, D.I., see Voltairas, P.A. L1

Garcia, F., see Reis, M.S. 49
Gebel, B., see Kubis, M. 14
Gemperle, R., see Kub, J. 19
Giacomoni, L., see Auric, P. 175
Guimarães, A.P., see Reis, M.S. 49

Harris, I.R., see Mottram, R.S. 27
He, H., see Wu, M. 89
Hejtmánek, J., see Jirák, Z. 113

Jamon, D., see Djendli, S. 170
Jaščur, M., see Lacková, S. 216
Jaswal, S.S., see Al-Omari, I.A. 83
Jeyadevan, B., K. Tohji, K. Nakatsuka and A. Narayanasamy, Irregular distribution of metal ions in ferrites prepared by co-precipitation technique structure analysis of Mn–Zn ferrite using extended X-ray absorption fine structure 99
Jiang, W., G.-z. Wei and Z.-H. Xin, Effect of a crystal field on phase transitions in a spin-$\frac{3}{2}$ transverse Ising model 225
Jirák, Z., J. Hejtmánek, K. Knížek, M. Maryško, V. Šíma and R. Sonntag, Ferromagnetic–antiferromagnetic transition in tetragonal $La_{0.50}Sr_{0.50}MnO_3$ 113

Kagerer, B., Ch. Binek and W. Kleemann, Freezing field dependence of the exchange bias in uniaxial FeF_2–CoPt heterosystems with perpendicular anisotropy 139
Karla, I., see Pierre, J. 74
Kim, C.K., see Ahn, S.J. 159
Kim, M.J., Y.B. Kim and T.K. Kim, Error analysis of the saturation magnetization and magnetocrystalline anisotropy of uniaxial material from magnetization curves of partially aligned powder 106
Kim, S.J., see Ahn, S.J. 159
Kim, T.K., see Kim, M.J. 106
Kim, Y.B., see Kim, M.J. 106
Kleemann, W., see Kagerer, B. 139
Knížek, K., see Jirák, Z. 113
Kolesnik, M., see Kravets, V.G. 129
Kong, H.Z., Y. Li and J. Ding, Effect of boron addition to the hard magnetic bulk $Nd_{60}Fe_{30}Al_{10}$ amorphous alloy 65

0304-8853/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(00)00420-0

Kowalczyk, A., A. Szajek, A. Ślebarski, J. Baszyński and A. Winiarski, Electronic structure of $La_{0.65}Pb_{0.35}MnO_3$ perovskite studied by X-ray photoemission spectroscopy 44
Kravets, V.G., A.K. Petford-Long, X. Portier, L.V. Poperenko and M. Kolesnik, The optical and magneto-optical properties and magnetoresistance of amorphous CoFeNiSiB alloys 129
Kub, J., V. Brabers, P. Novák, R. Gemperle and J. Šimšová, Jahn–Teller domains and magnetic domains in Mn_2FeO_4 19
Kubis, M., D. Eckert, B. Gebel, K.-H. Müller and L. Schultz, Intrinsic magnetic properties of $Sm_2Fe_{17-x}M_xN_y/C_y$ (M = Al, Ga or Si) 14

Lacková, S. and M. Jaščur, Phase diagrams of spin-$\frac{1}{2}$ planar Ising models with four-spin interactions 216
Lee, J., see Minkov, D. 207
Li, M. and G.-C. Wang, In situ measurement of thickness dependence of magnetoresistance and magnetic hysteresis loops of ultrathin Co films on a SiO_2/Si(1 1 1) substrate 199
Li, Y., see Kong, H.Z. 65
Lu, C.-A., see Wang, S.-F. 35

Maryško, M., see Jirák, Z. 113
Massalas, C.V., see Voltairas, P.A. L1
Mathon, J., A. Umerski, M. Villeret, R.B. Muniz and D.M. Edwards, Induced magnetization spiral in a nonmagnetic metal sandwiched between two ferromagnets 188
Micha, J.S., see Auric, P. 175
Minkov, D., J. Lee and T. Shoji, Study of crack inversions utilizing dipole model of a crack and Hall element measurements 207
Monin, J., see Djendli, S. 170
Montaigne, F., F.N. Van Dau and A. Schuhl, Current distribution effects in patterned non-linear magnetoresistive tunnel junctions 231
Mottram, R.S., A.J. Williams and I.R. Harris, Blending additions of cobalt to $Nd_{16}Fe_{76}B_8$ milled powder to produce sintered magnets 27
Müller, K.-H., see Kubis, M. 14
Müller, R., W. Schüppel, T. Eick, H. Steinmetz and E. Steinbeiß, LaSr-manganate powders by crystallization of a borate glass 155
Muniz, R.B., see Mathon, J. 188
Myles, D., see Wilkinson, C. 55

Nakatsuka, K., see Jeyadevan, B. 99
Narayanasamy, A., see Jeyadevan, B. 99
Novák, P., see Kub, J. 19

O'Handley, R.C., see Ahn, S.J. 159
Ogasawara, T. and M.A.S. Oliveira, Microstructure and hysteresis curves of the barium hexaferrite from co-precipitation by organic agent 147
Ohuchi, F.S., see Taketomi, S. 5
Oliveira, I.S., see Reis, M.S. 49
Oliveira, M.A.S., see Ogasawara, T. 147

Petford-Long, A.K., see Kravets, V.G. 129
Pierre, J. and I. Karla, Giant magnetoresistance in RE-NiSb semiconductors (RE = Tb, Dy, Ho) 74
Poperenko, L.V., see Kravets, V.G. 129
Portier, X., see Kravets, V.G. 129
Proux, O., see Auric, P. 175

Regnard, J.R., see Auric, P. 175
Reis, M.S., I.S. Oliveira, F. Garcia, A.Y. Takeuchi and A.P. Guimarães, ^{59}Co NMR spectroscopy and relaxation in the metamagnetic system $Y_{1-x}Gd_xCo_3$ 49

Sahsah, H., see Djendli, S. 170
Schüppel, W., see Müller, R. 155
Schobinger-Papamantellos, P., see Wilkinson, C. 55
Schuhl, A., see Montaigne, F. 231
Schultz, L., see Kubis, M. 14
Sellmyer, D.J., see Al-Omari, I.A. 83
Shoji, T., see Minkov, D. 207
Ślebarski, A., see Kowalczyk, A. 44
Šíma, V., see Jirák, Z. 113
Šimšová, J., see Kub, J. 19
Sonntag, R., see Jirák, Z. 113
Steinbeiß, E., see Müller, R. 155
Steinmetz, H., see Müller, R. 155
Szajek, A., see Kowalczyk, A. 44

Taketomi, S., Z.R. Dai and F.S. Ohuchi, Electron diffraction of yttrium iron oxide nanocrystals prepared by the alkoxide method 5
Takeuchi, A.Y., see Reis, M.S. 49
Tohji, K., see Jeyadevan, B. 99
Tung, L.D., see Wilkinson, C. 55

Umerski, A., see Mathon, J. 188

Van Dau, F.N., see Montaigne, F. 231
Villeret, M., see Mathon, J. 188
Voltairas, P.A., D.I. Fotiadis and C.V. Massalas, Estimation of exchange constant A and g factor for Co_xNi_{1-x} microspheres from size-dependent ferromagnetic resonance modes L1

Wang, G.-C., see Li, M. 199
Wang, P.-J., see Wang, S.-F. 35
Wang, S.-F., Y.-R. Wang, T.C.K. Yang, P.-J. Wang and C.-A. Lu, Densification and properties of fluxed sintered NiCuZn ferrites 35
Wang, Y.-R., see Wang, S.-F. 35
Wei, G.-z., see Jiang, W. 225
Wilkinson, C., P. Schobinger-Papamantellos, D. Myles, L.D. Tung and K.H.J. Buschow, On the modulated structure of $La_2Co_{1.7}$: a neutron Laue diffraction study 55

Williams, A.J., see Mottram, R.S. 27
Winiarski, A., see Kowalczyk, A. 44
Wu, M., Z. Zhao, H. He and X. Yao, Preparation and microwave characteristics of magnetic iron fibers 89
Xin, Z.-H., see Jiang, W. 225
Yang, T.C.K., see Wang, S.-F. 35
Yao, X., see Wu, M. 89
Yeshurun, Y., see Al-Omari, I.A. 83
Zhao, Z., see Wu, M. 89
Zhou, J., see Al-Omari, I.A. 83

ELSEVIER

Journal of Magnetism and Magnetic Materials 217 (2000) 240–241

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Subject index to volume 217

Ahronov–Bohm effect 5
Alkoxide method 5
Amorphous ribbons 129
Anisotropy constant 106
Anisotropy field 14
Antiferromagnetic materials 93
Antiferromagnetism 139

Barium hexaferrite 147
Birefringence 170
Boron 65
Bulk amorphous 65
Bundle drawing 89

Chill casting 65
Citrate process 147
Cobalt 27
Complex permeability 89
Complex permittivity 89
Coprecipitation 99
Crack inversion 207
Crystal field 225
Curie temperature 14, 83
Current distribution 231

Dielectric constant 93
Dipole model 207
Domain effects 199
Domain walls 120

Electromagnetic properties 35
Electron diffraction 5
Electronic structure 44
Ellipsometry 170
EXAFS 99, 175
Exchange bias 139
Exchange resonance modes L1

Ferrites 19, 35, 99
Ferroelastic domains 19
Ferrofluid 170
Ferromagnetic resonance L1
Ferromagnetism 139
Fine particles 99
Four-spin interactions 216

Giant magnetoresistance 74
Glass crystallization 155

Hall element 207
Hall voltage 207
Hard ferrites 147
Hard magnetic 65
Higher spin 225
Hysteresis loops 199

Induced magnetic moment 188
Interfaces 139
Intermetallic compounds 49
Internal oxidation 159
Ising model 216, 225
Ising-model 139

Kerr effect 129

Laue diagrams 55
Low-temperature sintering 35

Magnetic anisotropy 83
Magnetic ceramics 147
Magnetic detector 159
Magnetic dipole 207
Magnetic domains 19
Magnetic hyseresis loop 147
Magnetic instability 49
Magnetic iron fibers 89
Magnetic material 207
Magnetic microspheres L1
Magnetic multilayers 188
Magnetic nanoparticles 5
Magnetic perovskite materials 93
Magnetic properties 83, 113, 155
Magnetic semiconductors 74
Magnetic susceptibility 93
Magnetization spiral 188
Magnetocrystalline anisotropy 106
Magnetoresistance 113, 129, 175, 199
Magnetostatic modes L1
Magnets 27
Manganites 113
Metal/oxide multilayers 175
Micrstructure 35
Microwave 89
Mode mixing L1
Mössbauer 175

Neutron diffraction 55, 113
NMR spectra and relaxation 49

Optical and magneto–optical properties 129

Permanent magnets 120
Perovskite powder 155
Perovskite structure 44, 113
Phase diagram 225
Pinning 120
Powder blending 27

Quarter wave plate 170

Regression 207
RMS error 207

Saturation magnetization 83, 106
Saturation polarization 14
Sensor 159
Single crystals 55
Sintering 27
Soft magnetic materials 35
Stationary phase approximation 188
Structural properties 83
Superparamagnetism 175
Surface crack 207

0304-8853/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(00)00421-2

Thickness dependence 199
Transverse field 225
Trilayer 188
Tunnel magnetoresistance 231
Two-dimensional compounds 93

Ultrathin Co films 199
Uniaxial anisotropy 106

Variable range hopping 74

XPS 44

Yttrium iron garnet 5
Yttrium ortho-ferrite 5